





**SEEDING GROWTH**

**Land Consolidation Is A Key To Boosting Agricultural Yields**

Number of Holdings operated in India as per Agriculture Census 2015-16




Average size (in hectare) of operational holdings as per different Agriculture Censuses




**Maximizing Yields To Boost India's Agriculture Potential**

Average yield comparison for major agricultural products (2021-22), tons/hectare



Raising yields would boost production



Source: Agriculture Statistics at a Glance- 2022, Dept. of Agriculture and Family Welfare for India Average yields; FAO for Global Yields

# Allow farmers to benefit from higher global prices, says CEA

**The Hindu Bureau**  
NEW DELHI

Farmers should be allowed to benefit from higher international prices and food export bans should be used under exceptional circumstances, Chief Economic Adviser (CEA) V. Anantha Nageswaran said in the Economic Survey.

Mr. Nageswaran also advised the Centre to allow substitution effects to play out before responding to domestic supply concerns. "For example, if sugar prices rise, consumers can consume less of it or switch to jaggery. It may even be a good thing for their health," he said. He said it was far easier for consum-



ers to substitute or pare back consumption than for farmers to endure big losses because of ad hoc export bans or huge imports.

The Survey maintained that the performance of the agriculture sector remains critical for the economy's growth and has been growing at an average growth rate of 4.18% over the last five years.

"The Indian agriculture sector provides livelihood support to about 42.3% of the population and has a share of 18.2% in the country's GDP at current prices," the Survey found. However, the CEA said that as per provisional estimates for 2023-24, the growth rate of the agriculture sector stood at 1.4%. In 2022-23, it was 4.7%.

The CEA said delayed food production due to poor monsoons caused by El Nino was the reason for the drop.

The CEA noted the growing significance of allied sectors such as animal husbandry, dairying, and fisheries in enhancing farmers' income.

23-07-2024  
Times of Ind Pg 10

## ಕೆಸಾನ್ ಸನ್ಮಾನ್ 6 ಸಾವಿರ ಮೂಲ ವೇತನವಾಗಲಿ

ರೈತರಿಗೆ ಮೂರು ಕಂತುಗಳಲ್ಲಿ ವರ್ಷಕ್ಕೆ ಆರು ಸಾವಿರ ರೂಪಾಯಿ ನೀಡುವ ಕೇಂದ್ರದ ಕೆಸಾನ್ ಸನ್ಮಾನ್ ಯೋಜನೆ ಯೋಜನೆ. ಸರ್ಕಾರಿ ನೌಕರರಿಗೆ ಮೂಲ ವೇತನ ದಂತ ರೈತರಿಗೆ ಇದು ಮೂಲವೇತನವಾಗಬೇಕು. ಮತ್ತು ಮೂಲ ವೇತನದ ಜತೆ ಸರ್ಕಾರಿ ನೌಕರರಿಗೆ ತುಟ್ಟಿ ಭತ್ಯೆ ಕೊಡುತ್ತಾರೆ ಮತ್ತು ಜೀವನ ನಿರ್ವಹಣೆಯಲ್ಲಿ ಹೆಚ್ಚಿದ ಹಣದುಬ್ಬರವನ್ನು ಸರಿದೂಗಿಸಲು ಇದು ಆರು ತಿಂಗಳಿಗೆ ಒಂದು ಸಲ ಏರುತ್ತಾ ಹೋಗುತ್ತದೆ. ಇದೇ ಸೂತ್ರವನ್ನು ರೈತರಿಗೆ ಘೋಷಿಸಿರುವ ಕೃಷಿ ಸನ್ಮಾನ್ ಯೋಜನೆಗೂ ಅನ್ವಯಿಸಿ ಈ ಹಣವನ್ನು ಮೂಲವೇತನ ಎಂದು ಪರಿಗಣಿಸಿ ವರ್ಷಕ್ಕೆ ಒಂದು ಸಲ ಇದಕ್ಕೂ ಡಿ.ಎ ಗೊತ್ತು ಮಾಡಿ ಹೆಚ್ಚಿಸಬೇಕು. ಆಗ ಮಾತ್ರ ರೈತನೂ ಸರ್ಕಾರಿ ನೌಕರನಂತೆ ನೆಮ್ಮದಿ ಜೀವನ ಸಾಗಿಸಲು ಸಾಧ್ಯ. ರೈತ ಸಮುದಾಯಕ್ಕೆ ಹಿತವಾಗುವ ಅಂಶವಾದೀತು.

- ಸತ್ಯಚೋದ, ಬೆಂಗಳೂರು

23-07-2024  
Viswawani Pg 07

23-07-2024  
Hindu Pg 17

# FM's roadmap: Keep options open for futures in agri mkt

Reversing Export Bans, More Pvt Investment Among Proposals


TEAM TOI

New Delhi: The Economic Survey on Monday emphasised on the pressing need for comprehensive reforms in India's agricultural sector and recommended five policy points to ensure that the markets function in the interest of the farmer. It also pitched for striking a delicate balance between incentivising farmers to increase production and keeping food prices within acceptable limits, and suggested addressing the issue of land fragmentation.


Elaborating on five policy recommendations, the survey, tabled by finance minister Nirmala Sitharaman in Parliament, suggested not opting to ban 'futures or options' at the first sign of price spikes. Other

**INFLATION MENU CARD**

Contribution (%) of food items to food inflation



Elevated inflation rate (%) in vegetables, pulses and spices



four suggestions include invoking export bans only under exceptional circumstances, re-examining the inflation-targeting framework, increasing

the total net irrigated area, and making farming consistent with climate considerations.

It said the agri sector requires structural transforma-

tion due to challenges of water scarcity and climate change. The survey called for enhancing private sector investment in agriculture saying it is vital for impetus. It said investments in production methods, marketing infrastructure, technology and reduction in post-harvest losses need to be scaled up.

Chief economic adviser V Anantha Nageswaran in the preface to the survey highlighted the need for policy re-orientation despite existing subsidies and support measures. The survey noted that the sector provides livelihood support to 42.3% of the population and has a share of 18.2% in GDP at current prices. The sector has seen average annual growth rate of 4.1% at constant prices over last five years.

23-07-2024  
Times of Ind Pg 10

For more information visit University Library Website

Web - [uasbagrilibindia.org](http://uasbagrilibindia.org)  
E-mail - [librarian@uasbangalore.edu.in](mailto:librarian@uasbangalore.edu.in)

# Aerial solution to save crops from antelopes in MP

ANURAAG SINGH @ Bhopal

A potential aerial solution is being developed to protect farmers' crops from antelopes and subsequently furnish an ideal prey base for predator felines, including African cheetahs, in Madhya Pradesh.

The state forest department has issued a tender for hiring a helicopter, which will be used to chase and drive herds of blackbucks (who are damaging farmers' crops) into specially created bomas (enclosures) and then translocate them to replenish the prey base of feline predators, including African cheetahs, tigers, and leopards.

Experts from South Africa, key partners in the ongoing Cheetah reintroduction project in Madhya Pradesh, will assist with this initiative.

If all goes as planned, the helicopter-driven translocation of blackbucks will start after the monsoon season in western Madhya Pradesh's Shajapur district, which is among the areas where crops are significantly damaged by nilgais (blue



## Tender has been floated to rent helicopters

A senior state forest department official confirmed that a tender has already been floated to rent helicopters. The helicopter-driven Boma technique will first be implemented in Shajapur district, approximately 260 km from the Gandhi Sagar Wildlife Sanctuary.

bulls) and blackbucks.

A senior state forest department official confirmed that a tender has already been floated to rent helicopters. The helicopter-driven boma technique will first be implemented in Shajapur district, approximately 260 km from the Gandhi Sa-

gar Wildlife Sanctuary.

This sanctuary, located on the Madhya Pradesh-Rajasthan border, is likely to become the second home for African cheetahs in India.

"Experts from South Africa, who have successfully used the same helicopter-driven boma

capture-relocation technique for cheetahs in their country, will first demonstrate the technique in a pilot phase in Shajapur district. Using the helicopter, herds of blackbucks will be located in areas where they have been damaging crops. The herds will then be chased into specially created bomas and subsequently transported as prey base to national parks, sanctuaries, and tiger reserves for the big feline predators," an official said.

Forest department staff will receive training in this tranquilization-free capture-relocation process under the supervision of the National Tiger Conservation Authority (NTCA). If the pilot project yields the desired results, the technique is likely to be replicated in other districts where blackbucks and nilgais (blue bulls) are wreaking havoc on farmers' crops. Districts where the two antelope varieties could be captured and relocated include Ujjain, Harda, Dhar, Agar-Malwa, Vidisha, Guna, Ashok Nagar, and Shivpuri.

# ದನಗಳಿಗೆ ನೀಡುವ ಮೇವು ವಿಷವಾದೀತು ಎಚ್ಚರ!

ದನಗಳಿಗೆ ಎಂತಹ ಆಹಾರವನ್ನು ನೀಡಬೇಕು ಮತ್ತು ಎಂತಹ ಆಹಾರವನ್ನು ನೀಡಬಾರದು ಎಂಬುದರ ಸರಿಯಾದ ಮಾಹಿತಿ ನಮ್ಮಲ್ಲಿಯ ಬಹುತೇಕ ಪಶುಪಾಲಕರಿಗೆ ಇಂದಿಗೂ ಇಲ್ಲ. ನಮಗೆ ಬೇಡವಾದ ಹುಳು ಹಾಗೂ ಒಣ ತ್ಯಾಜ್ಯವನ್ನು ದನಗಳಿಗೆ ಕೊಡುವುದು ಅವುಗಳ ಜೀವಕ್ಕೆ ಆಪತ್ತು ತರಬಹುದು ಎಂಬ ವರದಿಯಂತೂ ಇಲ್ಲವೇ ಇಲ್ಲ. ಡಾ. ಎನ್.ಬಿ. ಶ್ರೀಧರ್ ಹೇಳುವಂತೆ ದನಗಳಿಗೆ ನುಣ್ಣಗೆ ಇರುವ ಆಹಾರವನ್ನು ಎಂದಿಗೂ ಕೊಡಬಾರದು. ತುಳಸಿ ಅಥವಾ ಸಮಾಂಭಗಳಲ್ಲಿ ಉಳಿಯುವ ಆಹಾರ ಪದಾರ್ಥಗಳು ಸೇರಿದಂತೆ ಮನೆಯಲ್ಲಿ ಉಳಿಯುವ ಆಹಾರ ಪದಾರ್ಥಗಳು, ಅನ್ನದ ಗಂಜಿ, ಸಿಹಿ ಪದಾರ್ಥಗಳನ್ನು ದನಗಳಿಗೆ ತಿನ್ನುವುದು ವಿಷವನ್ನು ತಿನ್ನುವಂತೆ. ಇಂತಹ ಆಹಾರ ಪದಾರ್ಥಗಳನ್ನು ಸೇವಿಸಿದ ನಂತರ ದನಗಳು ಸತ್ತಿರತಕ್ಕಂತೆ ನಿರರ್ಥನಗಳು ಲೆಕ್ಕವಿಲ್ಲದಷ್ಟಿವೆ.

ಇಷ್ಟೇ ಅಲ್ಲದೆ ಕಾಳುಗಳ ನುಟ್ಟಿ ಅಥವಾ ಕಾಳುಗಳ ಹಿಟ್ಟನ್ನು ಹೆಚ್ಚಾಗಿ ತಿನ್ನುವುದರಿಂದಲೂ ದನಗಳು ಅಕಾಲ ಮರಣಕ್ಕೆ ತುತ್ತಾಗುತ್ತವೆ. ಇನ್ನು ಕಡಲೇಕಾಯ ಹಿಂಡಿಯನ್ನು ನೆನಿಸಿ ನಂತರ ಅದನ್ನು ದನಗಳಿಗೆ ಕೊಡುವಾಗ ಆಮಾತ್ರಿಯಲ್ಲಿ ಹಿಂಡಿಯ ದಿನ ತೋರಿಯದ ಉಳಿದ ಹಿಂಡಿಯ ಶೇಷದೊಂದಿಗೆ ಹೊಸ ಹಿಂಡಿಯನ್ನು ಹಾಕಿ ಕೊಡುವುದರಿಂದ ದನಗಳ ಹೊಟ್ಟೆಯಲ್ಲಿ ಹೂಳು ಹೆಚ್ಚಾಗಿ ದನ ಸಾಯುವ ಸಾಧ್ಯತೆ ಇರುತ್ತದೆ. ಇನ್ನು ಬ್ಯಾರಿ, ಒಟ್ ಮತ್ತು ಮರಗೆಣಸು ಪುಡಿಗಳನ್ನು ಮುದ್ದದ ತಯಾರಿಕೆಯಲ್ಲಿ ಬಳಸಿದ ನಂತರ ದನಗಳಿಗೆ ಕೊಡುವ ಅಭ್ಯಾಸ ಹಲವು ಕಡೆಯಿದೆ. ಇವುಗಳನ್ನು ಆಗತಾನೇ ಬಟ್ಟೆ ಇಳಿಸಿ ಒಂದು ದಿನದೊಳಗೆ ದನಗಳಿಗೆ ತಿನ್ನುವುದರಿಂದ ಯಾವುದೇ ತೊಂದರೆ ಇರುವುದಿಲ್ಲ. ಆದರೆ ಅದನ್ನು ದಾಸ್ತಾನು ಮಾಡಿ ನಂತರ ಬಳಸುವುದರಿಂದ ಅದು ಹುಳಿಯಾಗುವುದೇ ಅಲ್ಲದೆ ಬೂಷ್ಟು ಬೆಳೆಯುವುದಕ್ಕೆ ಅವಕಾಶವಿರುತ್ತದೆ. ಇಂತಹ ಆಹಾರವನ್ನು ತಿಂದ ದನಗಳು ಸಾಯುವ ಸಾಧ್ಯತೆ ಹೆಚ್ಚು. ಇದರೊಂದಿಗೆ ಕೊಳೆತೆರವು ಪಶು ಆಹಾರ, ಕಾಳುಗಳು, ಹೋಟೆಲಿನಲ್ಲಿ ತಿಂದುಬಿಟ್ಟಿರುವ ಆಹಾರ ಪದಾರ್ಥಗಳು, ಹಳಸದ ಪದಾರ್ಥ, ಕೆಟ್ಟಿರುವ ಸ್ಪ್ರೇಲೇಜ್, ಬೂಷ್ಟು ಹಿಡಿದಿರುವ ಪಶು ಆಹಾರ ಮತ್ತು ಒದ್ದೆಯಾದ ಹುಲ್ಲನ್ನು ದನಗಳಿಗೆ ನೀಡಬಾರದು. ನೆನಪಿ ಹುಲ್ಲಿನಲ್ಲಿ ಬೂಷ್ಟು ಉಳಿತ್ತಿರುವುದಿಲ್ಲ. ಅದನ್ನು ತಿನ್ನುವುದರಿಂದ ಕೊಂದರೆ ಅಗುವ ಅವಕಾಶವೇ ಹೆಚ್ಚು.

**ಧರಣಿ ಮಂಡಲ**  
\* ಕೆ.ಎನ್. ಶೈಲೇಶ್ ಹೊಲ್ಲೆ  
shyleshholla@gmail.com

ಜೋಳದ ಕಾಳು ತುಂಬಾ ಮತ್ತೆಗೆ ಇದ್ದರೂ ಪ್ರಯೋಜನವಿಲ್ಲ. ಅದು ಎಳೆಯದಾಗಿದ್ದು ಅದರಿಂದ ತಯಾರಿಸಿದ ಸ್ಪ್ರೇಲೇಜ್ ಸಹ ಅಪಾಯವನ್ನು ತರಬಹುದು. ಒಟ್ಟಿನಲ್ಲಿ ಸ್ಪ್ರೇಲೇಜ್ ತಯಾರಿಕೆಯ ಸಂದರ್ಭದಲ್ಲಿ ಹುಲ್ಲು ತುಂಬಾ ಚೆನ್ನಾಗಿ ಕತ್ತರಿಸಲ್ಪಟ್ಟಿರಬೇಕು ಮತ್ತು ಹುಲ್ಲಿನಲ್ಲಿ ಹೆಚ್ಚಿನ ನೀರಿನಂತೆ ಇರಬಾರದು. ಹೀಗೆ ತಯಾರಾದ ಸ್ಪ್ರೇಲೇಜ್ ದನಗಳ ಸಾವಿಗೆ ಕಾರಣವಾಗಬಹುದು.


ದನಗಳು ಹೊಲದಲ್ಲಿ ಚೆನ್ನಾಗಿ ಬೆಳೆದ ಅಲಸಂದಿ, ಹೆಸರು, ಅವರ ಮೊದಲಾದ ಹುಲ್ಲುಗಳನ್ನು ಬೇಗ ಬೇಗ ತಿನ್ನುವುದರಿಂದ ಅವು ಹೊಟ್ಟೆಯಲ್ಲಿನ ಕ್ರಿಮಿಗಳು ಅವುಗಳನ್ನು ಜೀರ್ಣಮಾಡಿಕೊಳ್ಳುವ ಬದಲಾಗಿ ಕೊಳೆಯುವಂತೆ ಮಾಡುತ್ತವೆ. ಆಗ ಸಣ್ಣದಾಗಿ ನೋಡಿ ಉತ್ಪತ್ತಿಯಾಗಿ ತಿಂದ ಹುಲ್ಲುಗಳ ಮಧ್ಯೆ ಸೇರಿಕೊಂಡು ಹೊಟ್ಟೆಯಲ್ಲಿ ಉಳಿ ಉಂಟಾಗುವಂತೆ ಮಾಡುತ್ತದೆ. ಇದರಿಂದಲೂ ದನಗಳು ಸಾಯುವ ಸಾಧ್ಯತೆ ಇರುತ್ತದೆ. ಇಂತಹ ಕಾಳುಗಳ ಹುಲ್ಲನ್ನು ಸರಿಯಾಗಿ ಒಣಗಿಸಿದ ಇಟ್ಟಿಗೆ ಮತ್ತು ಮಳಿಗೆ ನೆನಿಸಿದ್ದಾಗ ಹಾಗೂ ತೇವಾಂಶವಿದ್ದಾಗ ಇದರಲ್ಲಿ ಒಣಬು ಅಥವಾ ಬೂಷ್ಟಿನ ಕ್ರಿಮಿ ಹುಟ್ಟಿ ವಿಷವನ್ನು ಉತ್ಪತ್ತಿಮಾಡುತ್ತದೆ. ನಂತರ ಇಂತಹ ಹುಲ್ಲನ್ನು ಶೇಖರಿಸಿಟ್ಟು ದನಗಳಿಗೆ ತಿನ್ನುವುದರಿಂದ ಅವುಗಳ ಲಿವರ್ ಸರಿಯಾಗಿ ಕೆಲಸ ಮಾಡದಂತಾಗುವ ಸಾಧ್ಯತೆ ಇರುತ್ತದೆ. ಇದರೊಂದಿಗೆ ಇಂತಹ ಹುಲ್ಲನ್ನು ತಿನ್ನುವುದರಿಂದ ಪದೇ ಪದೇ ಹೊಟ್ಟೆ ಉಳಿ ಬರುವ ಸಾಧ್ಯತೆ ಹೆಚ್ಚಿರುತ್ತದೆ.

ತುಂಬಾ ಬಲಿತಿರುವ ಹುಲ್ಲು, ಮಳೆಯಲ್ಲಿ ನೆನಿಸಿದಂತಹ ಒಣ ಹುಲ್ಲು, ಫಾಸ್ಟರ್ ಖನಿಜಾಂಶ ಕಡಿಮೆ ಇರುವ ಜಮೀನಿನಲ್ಲಿ ಬೆಳೆದ ಹುಲ್ಲನ್ನು ಕೊಡುವುದು ಸಹ ಅಪಾಯಕಾರಿ. ಎಳೆ ಹುಲ್ಲುಗಳನ್ನು ತಿನ್ನುವುದರಿಂದ ಹೊಟ್ಟೆ ಸರಿಯಾಗಿ ಕೆಲಸವಿಲ್ಲದೆ ಇದರಿಂದ ಸಮಯಕ್ಕೆ ಸರಿಯಾಗಿ ದನಗಳು ಮೆಲ್ಲುಕು ಹಾಕಲಾಗುವುದಿಲ್ಲ. ಹೀಗಾಗಿ ಹೊಟ್ಟೆ ಬಾಶುಕೊಳ್ಳುವುದಕ್ಕೆ ಪ್ರಾರಂಭವಾಗುತ್ತದೆ. ಎಳೆ ಹುಲ್ಲುಗಳಲ್ಲಿ ಸಾಕಷ್ಟು ನಾನಿನಂಶ ಇರುವುದಿಲ್ಲ. ತುಂಬಾ ಬಲಿತಿ ಹುಲ್ಲುಗಳಲ್ಲಿ ಹೆಚ್ಚು ಲಿಗ್ನಿನ್ ಅಂಶ ಇರುತ್ತದೆ. ಇದನ್ನು ದನಗಳು ಜೀರ್ಣಿಸಿಕೊಳ್ಳುವುದಿಲ್ಲ. ಈ ಕಾರಣಗಳಿಂದ ಹುಲ್ಲನ್ನು ಸರಿಯಾದ ಹಂತದಲ್ಲಿ ಕಡುವು ಮಾಡಿ ಕೊಡುವುದು ಉತ್ತಮ. ಬಹು ಮುಖ್ಯವಾಗಿ ಯಾರೆಯೂ ಮತ್ತೆ ರಾಸಾಯನಿಕ ಗೊಬ್ಬರ ಹಾಕಿ ಬೆಳೆದ ಹುಲ್ಲನ್ನು ನೀಡುವುದು ದನಗಳಿಗೆ ನಿಧಾನ ಗತಿಯ ವಿಷವನ್ನು ನೀಡಿದಂತೆ ಎಂಬುದು ಅರಿವಿರಲಿ.

ಇನ್ನು ರಬ್ಬರ್ ಬೆಳೆದ ತೋಟಕ್ಕೆ ದನಗಳನ್ನು ಬಿಡದೇ ಇರುವುದು ಬಹಳ ಒಳ್ಳೆಯದು. ಏಕೆಂದರೆ ರಬ್ಬರ್ ಹಾಲು ಜಾನುವಾರುಗಳಿಗೆ ಅಪಾಯಕಾರಿಯಾದುದು. ಇದರೊಂದಿಗೆ ಅತಿಯಾಗಿ ರಬ್ಬರ್ ಸೊಪ್ಪನ್ನು ದನಗಳು ತಿಂದರೂ ಅಪಾಯ ಕಟ್ಟಿಟ್ಟು ಬುತ್ತಿ. ಈ ಗಿಡದ ಹೂರು ಸೊಪ್ಪನ್ನು ಸುಮಾರು 2 ರಿಂದ 4 ಕೆಜಿಯಷ್ಟು ತಿಂದ ದನ ಉಳಿಯುವ ಸಾಧ್ಯತೆ ಬಹಳ ಕಡಿಮೆ ಎನ್ನಲಾಗಿದೆ. ಈ ಸೊಪ್ಪಿನಲ್ಲಿ ಸಯುನೈಟ್ ಅಂಶವಿರುವುದರಿಂದ ಸೂಕ್ಷ್ಮ ಸಮಯದಲ್ಲಿ ಚಿಕಿತ್ಸೆ ದೊರೆಯದಿದ್ದರೆ ದನಗಳು ಸಾಯುವುದು ನಿಶ್ಚಿತ. ಈ ಮರದಿಂದ ಸಂಗ್ರಹಿಸಿದ ಸಿಹಿಯಾಗುವ ಹಾಲನ್ನು ಜಾನುವಾರುಗಳು ನೀರೆಂದು ಕುಡಿದಲ್ಲಿ ಅಗುವ ಮಾರಣಾಂತಿಕ ಪರಿಣಾಮದ ಕುರಿತಂತೆ ತ್ಯಾಗತೀಯವು ಅಸ್ಪಷ್ಟತೆಯ ಸಹಾಯಕನಿರೀಶಕವಾದದ್ದು. ಎನ್.ಎಚ್. ಶ್ರೀವಾದಾರವರವರು 2013ರಲ್ಲಿ ಬರೆದ ಸುದೀರ್ಘ ಲೇಖನವೊಂದು ದಿನಪತ್ರಿಕೆಯಲ್ಲಿ ಪ್ರಕಟವಾಗಿತ್ತು. ಅದರಲ್ಲಿ ಅವರು ಹೇಳುವಂತೆ ದನಗಳು ರಬ್ಬರ್ ಹಾಲನ್ನು ನೀರೆಂದು ಭಾವಿಸಿ ಪರಿಣಿಯಾಗಿ ಕುಡಿಯುವ ಸಾಧ್ಯತೆ ಬಹಳ ಹೆಚ್ಚಿದ್ದು ತುರ್ತಾಗಿ ಪರಿವೈದ್ಯಕ ಸಹಾಯ ಪಡೆಯಲೇ ಬೇಕಂತೆ. ಇದಕ್ಕೆ ಶಸ್ತ್ರಚಿಕಿತ್ಸೆಯೊಂದೇ ಪರಿಹಾರವಾಗಿದ್ದು ಅದನ್ನೂ ಆದಷ್ಟು ಬೇಗ ಮಾಡಿದರೆ ಒಳ್ಳೆಯದಂದು ತಿಳಿಸಿದ್ದಾರೆ.

ಒಂದೊಮ್ಮೆ ರಬ್ಬರ್ ಹಾಲನ್ನು ದನಗಳು ಕುಡಿದಿದ್ದೇ ಆದಲ್ಲಿ ಅವುಗಳು ಬದುಕುಳಿಯುವ ಸಾಧ್ಯತೆ ಶೇಕಡಾ 50ರಷ್ಟು ಮಾತ್ರ ಎಂಬುದಾಗಿ ಹೇಳಲಾಗುತ್ತದೆ. ಹೀಗೆ ರಬ್ಬರ್ ಹಾಲು ಒಮ್ಮೆ ದನದ ಹೊಟ್ಟೆ ಸೇರಿದ ಕೂಡಲೇ ಅದು ಅಚಿಹ್ನೆ ಆಮ್ಲ, ಬ್ಯುಟಿರಿಕ್ ಆಮ್ಲಗಳ ಜೊತೆ ಸೇರಿಕೊಂಡು ಕಲ್ಪನಂತೆ ಹೊರಗೆ ತೆಗೆಯಲಾರದಷ್ಟು ಗಟ್ಟಿಯಾಗುತ್ತದೆ. ಇದಕ್ಕೆ ನುರಿತ ವೈದ್ಯರಿಂದ ಸಾಕಷ್ಟು ತಾಸುಗಳ ಶಸ್ತ್ರಚಿಕಿತ್ಸೆ ಅತ್ಯಗತ್ಯವಾಗಿರುತ್ತದೆ. ಒಮ್ಮೊಮ್ಮೆ ದನದ ಎರಡನೇ ಮತ್ತು ಮೂರನೇ ಉದರದಲ್ಲಿ ರಬ್ಬರ್ ತುಂಡಿನಂತೆ ಇದು ಶೇಖರಗೊಂಡಾಗ ಇದನ್ನು ಹೊರಗೆ ತೆಗೆಯಲು ಸಾಧ್ಯವಾಗುವುದೇ ಇಲ್ಲ. ಬಹುತೇಕ ದನಗಳು ಚಿಕಿತ್ಸೆಯ ನಂತರವೂ ಸಾವು ಬದುಕಿನ ನಡುವೆ

ಹೋರಾಡುತ್ತಲೇ ಇರುತ್ತವೆ. ಇನ್ನು ಕೆಲವರು ವೈದ್ಯಕ ಸಲಹೆಯಂತೆ ಚಿಕಿತ್ಸೆಗೊಳಗಾದ ಆ ದನಕ್ಕೆ ಸತ್ತ ಕುಂಬು ಹೊಟ್ಟೆಯಿರುವ ಮೇವು ಅಥವಾ ಕಸರನ್ನು ಐದು ದಿನ ತಿನ್ನುವ ಪ್ರಯತ್ನವನ್ನು ಮಾಡುತ್ತಾರೆ. ಹೀಗೆ ಮಾಡಿದಾಗ ಕುಂಬು ಆ ಮೇವಿನಲ್ಲಿರುವ ಕೋಟ್ಯಾಂಶಕ ಉಪಕಾರಿ ಜೀವಾಣುಗಳು ಹಸುವಿನ ಹೊಟ್ಟೆಯನ್ನು ಸಹಜ ಸ್ಥಿತಿಗೆ ತರುವಲ್ಲಿ ಯಶಸ್ವಿಯಾಗುವ ಸಾಧ್ಯತೆ ಇರುತ್ತದೆ. ಇದರಿಂದ ನಂತರದ ಕೆಲ ದಿನಗಳಲ್ಲಿ ನಿರ್ಜಾನವಾಗಿ ದನ ಸಹಜ ಸ್ಥಿತಿಗೆ ಮರಳುವ ಅವಕಾಶವಿರುತ್ತದೆ. ಹೀಗಾಗಿ ರಬ್ಬರ್ ಬೆಳೆಗಾರರು ಸಂಗ್ರಹಿಸಿದ ಹಾಲನ್ನು ವಿಶೇಷವಾಗಿ ಬೇಗಿನ ದಿನಗಳಲ್ಲಿ ಜಾನುವಾರುಗಳಿಗೆ ಸಿಗದಂತೆ ದೂರವಿಟ್ಟು ಒಳಿತು. ಇಷ್ಟರ ನಡುವೆಯೂ ಅಕಸ್ಮಾತ್ ದನಗಳು ರಬ್ಬರ್ ಹಾಲನ್ನು ಕುಡಿದಲ್ಲಿ ಆದಷ್ಟು ಬೇಗ ಅಂದರೆ 2 ರಿಂದ 4 ತಾಸುಗಳಲ್ಲಿ ಅಂತಹ ದನವನ್ನು ಶಸ್ತ್ರಚಿಕಿತ್ಸೆಗೆ ಒಳಪಡಿಸಬೇಕು. ಆಗ ಮಾತ್ರ ಅವು ಬದುಕುಳಿಯುವ ಸಾಧ್ಯತೆ ಇರುತ್ತದೆ.



23-07-2024  
Ind Exp Pg 10

23-07-2024  
Hosadiganta  
Pg 06