

**UNIVERSITY OF AGRICULTURAL SCIENCES, BENGALURU &
INDIAN METEOROLOGICAL DEPARTMENT**



**GRAMIN KRISHI MAUSAM SEWA
AMFU, OFRS, NAGANAHALLI,
MYSURU - 570003**



Date: 24.02.2026

AGRO-ADVISORY BULLETIN FOR MANDYA DISTRICT

Issued jointly by, UAS, Bengaluru & Indian Meteorological Department

Past Weather Data

Parameter	21.02.2026	22.02.2026	23.02.2026	24.02.2026
Rainfall (mm)	0	0	0	0
Max. Temp. (°C)	31	31.8	32.2	32.4
Min. Temp. (°C)	18.7	21.3	18.7	20.2
Sky condition (Octas)	-	-	-	-
Relative humidity (%) 0830 hours	85	94	85	88
Relative humidity (%) 1730 hours	36	-	31	-
Wind Speed (km/h)	-	-	-	-
Wind Direction	-	-	-	-

Weather forecast for the next five days (From 25-02-2026 to 01-03-2026)

Parameter	25.02.2026	26.02.2026	27.02.2026	28.02.2026	01.03.2026
Rainfall (mm)	1	0	0	0	0
Max. temp (°C)	34	35	34	35	34
Min.Temp (°C)	20	21	20	21	20
Sky condition (Octas)	4	2	2	2	3
Relative humidity (%) 0830 hours	82	82	83	84	82
Relative humidity (%) 1730 hours	32	31	30	32	31
Wind Speed (km/h)	6	6	6	4	6
Wind Direction	145	189	104	210	191

Forecast Summary

As forecast received from IMD, **very light rainfall** may be expected from **25.02.2026 to 01.03.2026** in Mandya district. The day temperature is expected to be 34-35°C & night temperature is expected to be 20-21°C. The relative humidity in the morning hours is expected to be 82-84% & afternoon relative humidity is expected to be in the range of 30-32%, Wind speed expected to be 4-6 km/ hr.

General Advisory:

Crop & Farm Operations

- **Irrigation:**
 - As there is **no rainfall expected**, ensure **protective irrigation** for standing crops, especially vegetables, pulses, and newly planted crops.
 - Prefer **morning or evening irrigation** to reduce evaporation losses.
- **Field Operations:**
 - Dry weather is **favourable for intercultural operations** such as weeding, hoeing, earthing up, and fertilizer application.
 - Suitable period for **harvesting, threshing, drying, and storage** of produce.
- **Plant Protection:**
 - Low humidity and dry conditions may favor **sucking pests (aphids, thrips, mites)**. Monitor crops regularly and take timely control measures if needed.
 - Avoid pesticide spraying during **midday hours**; spray during **early morning or late evening**.

Horticulture & Plantation Crops

- Provide **light irrigation** to fruit crops, vegetables, and nurseries to avoid moisture stress.
- Mulching is advised to **conserve soil moisture** and maintain soil temperature.
- Carry out **training, pruning, and basin cleaning** operations under plantation crops.

Livestock & Poultry

- Ensure **adequate drinking water** for livestock and poultry as temperatures may rise slightly.
- Maintain proper ventilation in sheds during daytime.
- Dry weather is suitable for **shed cleaning and sanitation**.

SMS Advisory:

Dry weather likely during the next five days. No rainfall expected. Farmers are advised to provide protective irrigation to standing crops, vegetables and plantations. Weather is favourable for weeding, fertilizer application, harvesting, drying and storage of produce. Monitor crops for sucking pests under dry conditions and take timely control measures. Ensure sufficient drinking water and proper ventilation for livestock and poultry.

Crops and Suitable Varieties for Sowing in February

- ✓ **Finger Millet (Ragi):** Indaf-5, Indaf-9, GPU-26, GPU-45, GPU-48, ML-365
- ✓ **Paddy (Rice):** MSN-99
- ✓ **Shaktiman Maize:** CSH-5, CSH-9, CSA-4
- ✓ **Fodder Maize:** Hema, Nityashree, MAH-14-5, MAH-14-138, MAH-15-84
- ✓ **Popcorn:** Ambar
- ✓ **Foxtail Millet (Navane):** GPUP-3
- ✓ **Little Millet (Same):** GPUL-6
- ✓ **Proso Millet (Baragu):** GPUP-28, GPUP-32
- ✓ **Little Millet (Same):** GPUL-6, GPUL-11
- ✓ **Green Gram (Moong):** PS-16, Pusa Baisakhi, PDM-84-178, KKM-3
- ✓ **Black Gram (Urad):** Karagav-3, T-9, Rashmi (LBG-625), LBG-791 (Suraksha)
- ✓ **Cowpea:** C-152, TVX-944-02-E, KBC-1, KBC-2, KM-9, KM-5, KC-8 (KBC-11), PGCP-6, KBC-12
- ✓ **Groundnut:** GKVK-5, GKVK-27, GPBD-4, KCG-6 (Chintamani-6), ICGV-91114, TMV-2
- ✓ **Sunflower:** KBSH-41, KBSH-90, KBSH-44, KBSH-53, KBSH-78, KBSH-85 (Irrigated)
- ✓ **Vegetable Soybean (Irrigated):** MAUS-2 (Pooja), Karuna (Vegetable soybean), KBS-23

- ✓ **Sesame (in post-kharif paddy fields):** GT-1, Navile-1 (Tunga), TMV-3, T-9, GKVK-S-1
- ✓ **Sugarcane:**Co-86032, COVC-18061, COVC-16061
- ✓ **Horticultural Crops**
- ✓ Tomato, Chilli, Brinjal, Radish, Okra, Field bean, Banana, Watermelon, Carrot, Onion
- ✓ **Fodder Crops**
- ✓ Maize: JS-3
- ✓ Cowpea: **MFC-09-01, MFC-08-14**
 - **Bajra–Napier Hybrid Grass:** PBN-346

Recommendations to the farmers:-

Weather based advisory

Crop	Crop Stage	Weather-based Advisory	Severe Pests / Diseases Likely	Recommended Management
Banana	Fruit development stage	Dry weather with moderate temperature favours sucking pests and mites	Thrips, mites, early Sigatoka leaf spot	Spray Neem oil 3 ml/L or Azadirachtin 1500 ppm @ 3 ml/L; for mites spray Wettable sulphur 2 g/L; remove severely affected leaves
Cabbage & Cauliflower	Vegetative stage	Warm and dry weather encourages insect multiplication	Diamond back moth, aphids, Alternaria leaf spot (early)	Spray Emamectin benzoate 0.4 g/L for DBM; Imidacloprid 0.3 ml/L for aphids; remove infected leaves
Sugarcane	Vegetative stage	Prolonged dry spell favours borer incidence	Early shoot borer, Pyrilla	Release Trichogramma chilonis @ 8 cards/acre; spray Chlorantraniliprole 0.4 ml/L if severe infestation
Vegetable crops (general)	Various stages	Low evening RH and moderate temperature favour sucking pests	Thrips, whitefly, mites	Spray Neem-based formulation 3–5 ml/L; install yellow sticky traps (10–12/acre)
Chickpea	Vegetative stage	Dry conditions favour early pod borer and root stress	Gram pod borer, dry root rot	Install pheromone traps @ 5/acre; spray Emamectin benzoate 0.4 g/L if larvae noticed; avoid moisture stress
Tomato	Transplanting to fruit formation	Dry weather favours vector population and mite infestation	Thrips, whitefly, leaf curl virus, mites	Spray Thiamethoxam 0.25 g/L against vectors; Propargite 2 ml/L for mites; rogue out virus-infected plants
Coconut	Bearing stage	Dry weather favours mite and defoliator pests	Red palm mite, black-headed caterpillar	Spray Neem oil 5 ml/L on leaf undersurface; release Goniozus nephantidis for BHC; maintain basin moisture
Arecanut	Nut development stage	Moisture stress favours sucking pests	Spindle bug, mites	Spray Neem oil 5 ml/L directed to spindle region; remove dried leaf sheaths
Green gram, Cowpea & Black gram	Vegetative stage	Dry weather favours sucking pests and powdery mildew	Thrips, leaf hopper, powdery mildew	Spray Dimethoate 2 ml/L; for powdery mildew spray Wettable sulphur 2 g/L

Sericulture	Silkworm rearing stage	Warm, dry weather increases pest and disease risk	Uzi fly, Grasserie	Install Uzi fly traps; maintain hygiene; disinfect rearing house with 2% bleaching powder
Livestock	—	Dry and warm weather causes heat stress	Heat stress, ectoparasites	Provide shade and cool water; spray Deltamethrin 0.01% for ectoparasites
Poultry	—	High temperature and dry air causes stress	Heat stress, ectoparasites	Ensure ventilation; provide electrolytes; maintain dry litter

Block level weather forecast

Krishnarajpet

Parameter	25.02.2026	26.02.2026	27.02.2026	28.02.2026	01.03.2026
Rainfall (mm)	1.4	0.1	0.1	0.2	0.3
Max. temp (°C)	31.7	31.6	31.5	30.6	30.9
Min.Temp (°C)	19.2	19.1	19.2	19.1	19.1
Sky condition (Octas)	3	2	2	2	3
Relative humidity (%) 0830 hours	80.1	80.6	77.5	75.6	79.4
Relative humidity (%) 1730 hours	28.7	25.9	25.7	29.4	30.8
Wind Speed (kmph)	10.4	5.4	5.9	1	1.8
Wind Direction	104	187.6	76	315	101.3

Maddur

Parameter	25.02.2026	26.02.2026	27.02.2026	28.02.2026	01.03.2026
Rainfall (mm)	2	3.1	0.2	0.2	0.6
Max. temp (°C)	33.1	32.8	32.5	32.1	32.8
Min.Temp (°C)	20.6	20.8	20.5	21.1	21.2
Sky condition (Octas)	4	3	3	3	3
Relative humidity (%) 0830 hours	83.3	79.8	76.3	76.6	79.2
Relative humidity (%) 1730 hours	27.4	25.8	26.4	29.1	28.6
Wind Speed (kmph)	5.4	5.8	5.6	6.9	3.1
Wind Direction	126.9	183.6	165.1	227.1	225

Malvalli

Parameter	25.02.2026	26.02.2026	27.02.2026	28.02.2026	01.03.2026
Rainfall (mm)	0.6	0.2	0.2	0.2	0.6
Max. temp (°C)	33.4	33.5	33	31.9	33.1
Min.Temp (°C)	20.4	20.5	19.9	20.1	19.8

Sky condition (Octas)	3	2	2	2	2
Relative humidity (%) 0830 hours	80.4	79.6	75.3	78.9	82.1
Relative humidity (%) 1730 hours	25.5	22.6	22.6	26.5	26.8
Wind Speed (kmph)	8.7	6.6	4.6	6.6	3.3
Wind Direction	97.1	157.6	141.3	192.5	229.4

Mandya					
Parameter	25.02.2026	26.02.2026	27.02.2026	28.02.2026	01.03.2026
Rainfall (mm)	2	3.1	0.2	0.2	0.6
Max. temp (°C)	33	32.7	32.4	32.1	32.7
Min.Temp (°C)	20.6	20.9	20.7	21	21.1
Sky condition (Octas)	4	3	3	3	4
Relative humidity (%) 0830 hours	82.8	79.3	76.5	77.7	79.8
Relative humidity (%) 1730 hours	27.6	26.4	26.1	28.8	29.6
Wind Speed (kmph)	6	6.5	5.9	6.6	3.1
Wind Direction	122.7	183.2	166	229.4	225

Nagamangala					
Parameter	25.02.2026	26.02.2026	27.02.2026	28.02.2026	01.03.2026
Rainfall (mm)	0.9	0.1	0	0.3	0.4
Max. temp (°C)	31.9	31.5	31	30.5	31.2
Min.Temp (°C)	19.1	19.1	19.7	19.7	19.8
Sky condition (Octas)	3	2	3	3	3
Relative humidity (%) 0830 hours	82	79.6	74.9	73.9	78
Relative humidity (%) 1730 hours	28	26.6	27.1	30.3	30.5
Wind Speed (kmph)	8.2	6.5	4.2	1.5	2.2
Wind Direction	118.8	186.3	110	14	189.5

Pandavapura					
Parameter	25.02.2026	26.02.2026	27.02.2026	28.02.2026	01.03.2026
Rainfall (mm)	3.7	1.5	0.2	0.2	0.5
Max. temp (°C)	32.2	31.8	32.1	31.1	31.4
Min.Temp (°C)	20.1	20.1	20.2	20.5	20.5
Sky condition (Octas)	3	2	2	3	4
Relative humidity (%) 0830 hours	82.5	79.4	79.2	78	80.6

Relative humidity (%) 1730 hours	30.1	28.9	26.8	30.5	30.3
Wind Speed (kmph)	6.8	6.2	4.1	5.4	0.7
Wind Direction	122	190	135	250.3	270

Shrirangapatna					
Parameter	25.02.2026	26.02.2026	27.02.2026	28.02.2026	01.03.2026
Rainfall (mm)	3.8	1.5	0.2	0.2	0.6
Max. temp (°C)	32.4	32.1	32.2	31.4	31.5
Min.Temp (°C)	20.5	20.2	20.6	20.7	20.7
Sky condition (Octas)	3	3	3	3	4
Relative humidity (%) 0830 hours	81.2	79.4	79.2	77.9	80.8
Relative humidity (%) 1730 hours	29.8	28.7	26.8	30.2	30.7
Wind Speed (kmph)	6.2	5.9	3.3	5.5	0.7
Wind Direction	125.5	194	139.4	246.8	270

- Download “**DAMINI**” app to get early warning on lightening and take precautions based on the alert given by the application.
- Kindly download “**MAUSAM**” APP for location specific forecast & warning & “**MEGHDOOT**” APP for Agromet advisory
- This information is available in the website: mausam.imd.gov.in

For any information farmers can contact **Dr.Umashankar Kumar**, N. Senior Farm Superintendent/ **Dr. Sumanth Kumar.G.V**, Technical officer over phone No.0821-259126/ 9535345814.

AMFU of IMD, Naganahalli, Mysuru



वास्तविक वर्षा तथा विस्तारित अवधि पूर्वानुमान
Realized Rainfall and Extended Range Forecast
 (वर्षा और तापमान)
 (Rainfall and Temperature)

Realized Rainfall
 (05th to 18th February 2026)




Extended Range Forecast System

Rainfall forecast maps for the next 2 weeks (IC-18th February, 2026)
 (20th February to 05th March 2026)




- **Week 1 (20.02.2025 to 26.02.2026):** Rainfall is likely to be above normal over Kerala and adjoining parts of South Interior Karnataka and Tamil Nadu. Rainfall is likely over some parts of Arunachal Pradesh and Uttarakhand.
- **Week 2 (27.02.2025 to 05.03.2026):** Rainfall is likely over some parts of Kerala, Tamil Nadu, South Interior Karnataka, Jammu & Kashmir, Assam, North East India and adjoining parts of Himachal Pradesh.

**Maximum and Minimum temperature anomaly (°C) forecast
for the next 2 weeks (IC- 11th February, 2026)
(13th to 26th February, 2026)**



Maximum Temperature (Tmax)

- **Week 1 (20.02.2025 to 26.02.2026):** Maximum temperature is likely to be above normal over North West India, East India, North East India, Chhattisgarh, Coastal Andhra Pradesh, coastal Karnataka, Konkan-Goa and many parts of Gujarat. However, it is likely to be below normal over many parts of Central India, Maharashtra and many parts of South India.
- **Week 2 (27.02.2025 to 05.03.2026):** Maximum temperature is likely to be above normal over many parts of North West India, East India, North East India, Chhattisgarh, Tamil Nadu, Coastal Andhra Pradesh and some parts of Saurashtra-Kutch. However, it is likely to be below normal over many parts of Central India, Maharashtra, Telangana, Rayalaseema, Karnataka and Kerala.



Minimum Temperature (Tmin)

- **Week 1 (20.02.2025 to 26.02.2026):** Minimum temperature is likely to be below normal over many parts of East India, Chhattisgarh, Marathwada, Vidarbha, Telangana, Coastal Andhra Pradesh and Kerala. However, it is likely to be above normal over North West India, West Madhya Pradesh, Bihar, Gujarat, Madhya Maharashtra, South Karnataka, Tamil Nadu,

Rayalaseema and some parts of North East India

- **Week 2 (27.02.2025 to 05.03.2026):** Minimum temperature is likely to be below normal over Odisha, Jharkhand, Chhattisgarh, Telangana and Vidarbha. However, it is likely to be above normal over many parts of North West India, Bihar, Gujarat, some parts of Madhya Maharashtra, Madhya Pradesh, Karnataka, Rayalaseema, Southern parts of Coastal Andhra Pradesh and North East India.