

**UNIVERSITY OF AGRICULTURAL SCIENCES, BENGALURU &  
INDIAN METEOROLOGICAL DEPARTMENT**



**GRAMIN KRISHI MAUSAM SEWA  
AMFU, OFRS, NAGANAHALLI,  
MYSURU – 570003**



Date: 26.05.2026

**AGRO-ADVISORY BULLETIN FOR MYSURU DISTRICT**

Issued jointly by, UAS, Bengaluru & Indian Meteorological Department

**Past Weather Data**

<b>Parameter</b>	<b>23.05.2026</b>	<b>24.05.2026</b>	<b>25.05.2026</b>	<b>26.05.2026</b>
<b>Rainfall (mm)</b>	0	3	0	-
<b>Max. Temp. (°C)</b>	32	31	33.2	-
<b>Min. Temp. (°C)</b>	21.2	21	21	-
<b>Sky condition (Octas)</b>	6	4	3	-
<b>Relative humidity (%) 0830 hours</b>	73	72	71	-
<b>Relative humidity (%) 1730 hours</b>	55	84	82	-
<b>Wind Speed (km/h)</b>	2	2	2	-
<b>Wind Direction</b>	230	230	270	-

**Weather forecast for the next five days (From 27-05-2026 to 31-05-2026)**

<b>Parameter</b>	<b>27.05.2026</b>	<b>28.05.2026</b>	<b>29.05.2026</b>	<b>30.05.2026</b>	<b>31.05.2026</b>
<b>Rainfall (mm)</b>	4	15	5	0	0
<b>Max. temp (°C)</b>	33	33	32	33	33
<b>Min.Temp (°C)</b>	21	21	20	21	21
<b>Sky condition (Octas)</b>	5	6	4	5	6
<b>Relative humidity (%) 08:30 hours</b>	70	71	72	71	72
<b>Relative humidity (%) 17:30 hours</b>	55	56	55	54	50
<b>Wind Speed (kmph)</b>	6	10	6	4	6
<b>Wind Direction</b>	247	260	246	253	256

**Forecast Summary**

As forecast received from IMD, Light rainfall is expected during 27–29 May 2026, with comparatively higher rainfall (15 mm) likely on 28 May 2026. Dry weather conditions are expected on 30 and 31 May 2026 with no significant rainfall in Mysuru district. The day temperature is expected to be 32-33°C & night temperature is expected 20-21°C. The relative humidity in the morning hours is expected to be 70-72% & afternoon relative humidity is expected to be in the range of 50-56% Wind speed expected to be 4-10 km/hr.

### General Advisory:

- **Land Preparation:** Utilize the upcoming wet spell to undertake summer ploughing and primary tillage; the soil moisture will be ideal for preparing the land for the upcoming cropping season.
- **Sowing Operations:** Begin sowing rain-fed crops like Ragi, Maize, and pulses as the soil moisture levels will support healthy germination.
- **Drainage Management:** Ensure that drainage channels in fields of Ginger, Turmeric, and vegetables are clear and functional to prevent water stagnation and root-related diseases.
- **Input Application:** Postpone all chemical spraying and top-dressing of fertilizers; the frequent rainfall will wash away these inputs, making them ineffective and increasing costs.
- **Disease Vigilance:** Monitor crops closely for fungal infections, as the combination of warm weather and high humidity creates a high-risk environment for leaf spots and blights.
- **Livestock Management:** Keep cattle sheds dry and clean to prevent hoof infections and protect livestock from the heat during the day and potential thundershowers in the evening.

### SMS Advisory:

"Farmers are advised to utilize the forecasted rains for land preparation and sowing of Kharif crops while ensuring proper drainage in fields to avoid rot and postponing all chemical sprays and fertilizer applications until the weather clears."

### Crops and Suitable Varieties for Sowing in May

- **Ragi:** Indaf-9, GPU-45, GPU-48.
- **Shaktiman Maize:** CSV-4, CSH-5, CSH-9.
- **Maize:** Hema, Nityashree, MAH-14-5, MAH-14-138, MAH-15-184.
- **Popcorn:** Amber.
- **Minor Millets:** Foxtail Millet (SIA-326), Little Millet (CO-2, OLM-203), Proso Millet (GPUB-8, GPUB-21), Barnyard Millet (DHBM-93-3), Browntop Millet (GPUBT-2).
- **Red Gram (Tur):** BRG-1, 2, 3, 4, 5; ICP-7035, TTB-7, Hyderabad-32.
- **Green Gram (Moong):** PS-16, Pusa Baisakhi, PDM-84-178, KKM-3.
- **Black Gram (Urad):** Karagaon-3, T-9, Rashmi (LBG-625), LBG-791 (Suraksha).
- **Cowpea:** VNS-944-02-E, KBC-1, KBC-2, KM-9, KM-5, KC-8 (KBC-11), CTCC-6.
- **Groundnut:** GKVK-5, KCG-6 (Chintamani-6), GPBD-4, ICGV-91114, JL-24, TMV-2, GKVK-27.
- **Castor:** DCS-9 (Jyoti), 48-1 (Jwala); **Hybrids:** DCH-177, GCH-4.
- **Sesame:** GT-1, Navile-1 (Tunga), TMV-3, T-7, GKVKS-1.
- **Horticultural Crops:** Banana, Arecanut, Chilli, Turmeric, Potato, Ginger.
- **Fodder Crops:** Fodder Jowar (J-Set-3), Fodder Cowpea (MFC-09-01, MFC-08-14, MFC-09-03), Bajra-Napier Grass (PBN-342).

### Recommendations to the farmers:-

#### Weather based advisory

Crop	Crop Stage	Weather-based Advisory	Severe Pests / Diseases Likely	Recommended Management
Field bean	Sowing stage	Due to forecast of light to moderate rainfall, take up	Seed rot, damping off,	Treat seeds with Trichoderma viride @ 4 g/kg

		sowing in well-drained fields. Ensure proper drainage to avoid water stagnation and seed rot.	leaf eating caterpillars	seed before sowing. Install bird perches and monitor early pest incidence.
Cowpea	Sowing stage	Utilize available soil moisture for sowing. Avoid excess irrigation during rainy conditions. Maintain proper spacing for aeration.	Root rot, aphids, leaf spot	Seed treatment with bioagents. Spray Neem Seed Kernel Extract (NSKE) 5% against sucking pests if noticed.
Black gram	Sowing stage	Complete sowing operations taking advantage of rainfall. Ensure drainage in low-lying areas.	Yellow mosaic disease, stem fly	Use disease-free seeds and install yellow sticky traps for vector management. Spray neem-based insecticide if needed.
Green gram	Sowing stage	Light rainfall is favorable for germination. Avoid water stagnation in nursery or field.	Leaf spot, whitefly, seedling rot	Seed treatment with Rhizobium and Trichoderma. Monitor whitefly population regularly.
Red gram	Sowing stage	Continue sowing under conserved soil moisture. Adopt broad bed and furrow system in heavy soils.	Wilt, pod borer (early incidence)	Treat seeds with Trichoderma and apply neem cake in soil. Install pheromone traps for pod borer monitoring.
Maize	Vegetative stage	Intercultural operations and earthing up may be taken up after rainfall cessation. Ensure proper drainage.	Fall armyworm, leaf blight	Install pheromone traps for fall armyworm. Spray recommended biopesticides or Emamectin benzoate if infestation crosses ETL.
Chilli	Flowering stage	Maintain field sanitation and avoid moisture stress. Excess humidity may favor disease development.	Thrips, mites, powdery mildew, fruit rot	Spray neem oil 3 ml/l or recommended insecticide against thrips and mites. Spray wettable sulphur for powdery mildew.
Tomato	Flowering to fruit stage	Provide staking and drainage to avoid fruit rot during rainy weather. Avoid overhead irrigation.	Early blight, fruit borer, bacterial wilt	Spray Copper oxychloride or Mancozeb for fungal diseases. Install pheromone traps for fruit borer management.
Tobacco	Transplanting stage	Transplant during evening hours utilizing available soil moisture. Avoid transplanting in waterlogged fields.	Damping off, cutworms	Drench nursery with Trichoderma solution. Apply neem cake and monitor cutworm incidence.
Ginger	Vegetative stage	Carry out earthing up and mulching after rainfall. Maintain drainage channels to avoid rhizome rot.	Rhizome rot, leaf spot	Drench soil with Bordeaux mixture or Copper oxychloride around clumps. Remove infected plants immediately.
Paddy	Tillering to	Light to moderate rainfall	Leaf folder,	Install pheromone traps for

	panicle initiation stage	is favorable. Maintain optimum water level (2–5 cm) and undertake weeding and top dressing after rainfall.	stem borer, blast disease	stem borer. Spray Tricyclazole for blast if symptoms appear. Apply balanced fertilizers as per recommendation.
--	--------------------------	--	---------------------------	--

<b>Block level weather forecast</b>					
<b>H.D. Kote</b>					
<b>Parameter</b>	<b>27.05.2026</b>	<b>28.05.2026</b>	<b>29.05.2026</b>	<b>30.05.2026</b>	<b>31.05.2026</b>
<b>Rainfall (mm)</b>	5.2	2	1.9	1.3	0.8
<b>Max. temp (°C)</b>	31.5	31.5	31	31.2	31.2
<b>Min.Temp (°C)</b>	22.1	22.1	22.1	22	21.6
<b>Sky condition (Octas)</b>	5	5	5	5	5
<b>Relative humidity (%) 0830 hours</b>	94.4	92.8	93.4	93	92.1
<b>Relative humidity (%) 1730 hours</b>	55.6	53.6	56.2	57.5	53.4
<b>Wind Speed (kmph)</b>	8.5	11.4	11.4	12.7	11.6
<b>Wind Direction</b>	233.6	241.8	245.9	244.9	244.2

<b>Hunsuru</b>					
<b>Parameter</b>	<b>27.05.2026</b>	<b>28.05.2026</b>	<b>29.05.2026</b>	<b>30.05.2026</b>	<b>31.05.2026</b>
<b>Rainfall (mm)</b>	6.2	4	3.6	1	1.2
<b>Max. temp (°C)</b>	31.6	31.1	30.8	30.6	31.1
<b>Min.Temp (°C)</b>	22.2	22.2	22	21.9	21.5
<b>Sky condition (Octas)</b>	6	5	6	5	5
<b>Relative humidity (%) 0830 hours</b>	91.9	90.8	92	91.3	90.4
<b>Relative humidity (%) 1730 hours</b>	50.6	53.6	54.2	57.8	51.8
<b>Wind Speed (kmph)</b>	9.8	12.3	12.1	14.2	12.1
<b>Wind Direction</b>	246.3	254.7	247.2	249.3	247.2

<b>K.R. Nagara</b>					
<b>Parameter</b>	<b>27.05.2026</b>	<b>28.05.2026</b>	<b>29.05.2026</b>	<b>30.05.2026</b>	<b>31.05.2026</b>
<b>Rainfall (mm)</b>	6.8	4.8	1.5	0.8	2.5
<b>Max. temp (°C)</b>	32.2	31.9	31.5	32.2	32.9
<b>Min.Temp (°C)</b>	22.7	22.7	22.5	22.7	22.2

<b>Sky condition (Octas)</b>	5	4	6	4	4
<b>Relative humidity (%) 0830 hours</b>	90.4	91.7	92.8	90.6	89.1
<b>Relative humidity (%) 1730 hours</b>	47.6	51	54	53	46.8
<b>Wind Speed (kmph)</b>	7.8	13.7	12.1	13	13.2
<b>Wind Direction</b>	248.2	256.3	252.6	250.6	247.6

### Mysuru

<b>Parameter</b>	<b>27.05.2026</b>	<b>28.05.2026</b>	<b>29.05.2026</b>	<b>30.05.2026</b>	<b>31.05.2026</b>
<b>Rainfall (mm)</b>	10.6	3.1	2.6	0.4	3
<b>Max. temp (°C)</b>	33.2	32.5	32.4	32.4	33.1
<b>Min.Temp (°C)</b>	22.9	23.1	22.8	22.9	22.7
<b>Sky condition (Octas)</b>	5	5	6	4	5
<b>Relative humidity (%) 0830 hours</b>	89.2	88.3	88.3	88.2	86.5
<b>Relative humidity (%) 1730 hours</b>	44.1	48.3	49.2	49.2	45
<b>Wind Speed (kmph)</b>	10.3	14.7	15.9	16.9	16
<b>Wind Direction</b>	245.2	252.9	251.6	253.9	255.7

### Nanjanagudu

<b>Parameter</b>	<b>27.05.2026</b>	<b>28.05.2026</b>	<b>29.05.2026</b>	<b>30.05.2026</b>	<b>31.05.2026</b>
<b>Rainfall (mm)</b>	4.8	2.7	1.6	0.4	0.7
<b>Max. temp (°C)</b>	33.2	32.8	32.8	32.5	33.1
<b>Min.Temp (°C)</b>	22.9	23	22.9	22.9	22.6
<b>Sky condition (Octas)</b>	5	4	6	4	5
<b>Relative humidity (%) 0830 hours</b>	88.7	88	87.2	87.8	86.5
<b>Relative humidity (%) 1730 hours</b>	43.6	46.1	48.2	48.3	44.8
<b>Wind Speed (kmph)</b>	10.3	14.6	15.5	17.4	16
<b>Wind Direction</b>	245.2	254.2	256.6	256.8	261

### Piriapatna

<b>Parameter</b>	<b>27.05.2026</b>	<b>28.05.2026</b>	<b>29.05.2026</b>	<b>30.05.2026</b>	<b>31.05.2026</b>
<b>Rainfall (mm)</b>	7.6	6	1.8	2.8	1.9
<b>Max. temp (°C)</b>	30.7	30.6	30	30.6	31
<b>Min.Temp (°C)</b>	21.6	21.5	21.7	21.7	21.5
<b>Sky condition (Octas)</b>	5	5	6	5	5

<b>Relative humidity (%) 0830 hours</b>	95	95.9	95.7	94	92.8
<b>Relative humidity (%) 1730 hours</b>	53.8	58.9	58.4	59.2	53.5
<b>Wind Speed (kmph)</b>	8.4	12	11.5	13.2	13.4
<b>Wind Direction</b>	250	254.3	249.9	247.6	249.6

<b>T. Narasipura</b>					
<b>Parameter</b>	<b>27.05.2026</b>	<b>28.05.2026</b>	<b>29.05.2026</b>	<b>30.05.2026</b>	<b>31.05.2026</b>
<b>Rainfall (mm)</b>	12.4	2	2.6	0.6	4.2
<b>Max. temp (°C)</b>	34.1	33.6	33.8	33.7	34.2
<b>Min.Temp (°C)</b>	23.2	23.4	23.2	23.4	23.2
<b>Sky condition (Octas)</b>	5	5	6	4	4
<b>Relative humidity (%) 0830 hours</b>	87.4	86.1	85.6	87.2	85
<b>Relative humidity (%) 1730 hours</b>	41.6	44	44.4	44.2	40.7
<b>Wind Speed (kmph)</b>	9.8	13.1	15.3	17.7	16.6
<b>Wind Direction</b>	241.6	249.1	250.7	257.1	257.5

- Download “**DAMINI**” app to get early warning on lightening and take precautions based on the alert given by the application.
- Kindly download“**MAUSAM**” APP for location specific forecast & warning &“**MEGHDOOT**” APP for Agromet advisory
- This information is available in the website: [mausam.imd.gov.in](http://mausam.imd.gov.in)



For any information farmers can contact **Dr.Umashankar Kumar, N.**, Senior Farm Superintendent/ **Dr. Sumanth Kumar.G.V**, Technical officer over phone No.0821-259126/ 9535345814.

**AMFU of IMD,  
Naganahalli, Mysuru**

वास्तविक वर्षा तथा विस्तारित अवधि पूर्वानुमान  
**Realized Rainfall and Extended Range Forecast**  
 (वर्षा और तापमान)  
 (Rainfall and Temperature)

**Realized Rainfall**



(07<sup>th</sup> to 20<sup>th</sup> May 2026)



**Extended Range Forecast System**


**Rainfall forecast maps for the next 2 weeks (IC- 20<sup>th</sup> May, 2026)**

**(22<sup>nd</sup> May to 04<sup>th</sup> June 2026)**



- **Week 1 (22.05.2026 to 28.05.2026):** Rainfall is likely to be above normal over Kerala, Karnataka, Konkan-Goa, Lakshadweep, Andaman & Nicobar Islands, Jammu & Kashmir and some parts of Assam. Rainfall is also likely over South India, many parts of Maharashtra, North East India and some parts of Himachal Pradesh.
- **Week 2 (29.05.2026 to 04.06.2026):** Rainfall is likely over most parts of the country except some parts of North West India with above normal rainfall activity over many parts of South India, Central India, East India, North East India, Maharashtra and Uttarakhand.

### Maximum and Minimum temperature anomaly (°C) forecast for the next 2 weeks (IC-20<sup>th</sup> May, 2026) (22<sup>nd</sup> May to 04<sup>th</sup> June 2026)



- #### Maximum Temperature (Tmax)
- **Week 1 (22.05.2026 to 28.05.2026):** Maximum temperature is likely to be above normal over many parts of North West India, East India, North East India, Chhattisgarh and northern part of


Coastal Andhra Pradesh.

- **Week 2 (29.05.2026 to 04.06.2026):** Maximum temperature is likely to be above normal over Jammu & Kashmir, Himachal Pradesh, Punjab, Haryana, many parts of Rajasthan and Arunachal Pradesh.

### MME forecast Tmin anomaly (Deg C)

(Week1: 22May-28May)

(Week2: 29May-04Jun)



### Minimum Temperature (Tmin)

- **Week 1 (22.05.2026 to 28.05.2026):** Minimum Temperature is likely to be above normal over many parts of North West India, East India, North East India, Saurashtra & Kutch, Konkan & Goa and some parts of Coastal Andhra Pradesh.
- **Week 2 (29.05.2026 to 04.06.2026):** Minimum temperature is likely to be above normal over many parts of North West India, North East India and Gujarat State.